Application No.

	1
	Amended
Jecond.	Hirrier Juleu

# APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE F	FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	AR 2 5 2015	
Returned to applicant for correction		
Corrected Application filed	Map filed MAR 2 5 2015	
The applicant Anova Metals USA LLC.		
1001 SW 5th Ave., Suite 1100	of Portland	
Street Address or P.O. Box	City or Town	
OR 97204	hereby make(s) application for permission to appropriate	e the
incorporation; if a copartnership or association, give a Incorporated on April 21, 2011 in Oregon	ter stated. (If applicant is a corporation, give date and place names of members.)	
	<del></del>	
1. The source of water is underground		
•	Vame of the stream, lake, underground, spring or other sources.	
2. The amount of water applied for is 1.0 cubic foo	One second foot equals 448 83 gallons per minute.	
(a) If stored in a reservoir give the number of acre-		
3. The water is to be used for Mining, Milling and I		
4. If use is for:		
(a) Irrigation, state number of acres to be irrigated		
•		
(d) Power:		
(2) Point of return of water to stream		

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Within the SW 1/4 of the SW 1/4 of Section 1, T.42N., R.53E., MDB&M, from which the SE corner of Section 31 T.43N., R.54E., MDB&M, from which the SE corner of Section 31, T. 43 N., R. 54 E. bears North 69 degrees 31 231" East a distance of 11,773.07 feet as shown on the map accompanying this application.

	ication, and as further described on Attachment A.			
'	and end about December 31  Month and Day  provisions of NRS 535.010 you may be required to works.) (State manner in which water is to be diverted, i.e. diversion str	 submit p		nd
pump, piping and water tank.				
Estimated cost of works: \$50,000				
3. Estimated time required to construct work	s: One year (If the well is complete, describe works	s)		
Fetimated time required to complete the su	pplication of water to beneficial use: Two years	1.1 	757 613	
ovide a detailed description may cause a delay in proces ee Attachment B.	osed project and its water usage (use attachments if a ssing.)			
		* •	** 3 ©	
3. Miscellaneous remarks:				
The proposed point of diversion is a sump at t groundwater will be diverted around the pit. The ransmissivity calculated from a bedrock aquited.	he bottom of a proposed open-pit mine. Surface dra The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The vog g requirements.	based on		<u>ial</u>
The proposed point of diversion is a sump at t groundwater will be diverted around the pit. The ransmissivity calculated from a bedrock aquited.	The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The vo	based on		<u>ial</u>
The proposed point of diversion is a sump at the proposed point of diversion is a sump at the province of the proposed of the	The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The year requirements.	based on		<u>ial</u>
The proposed point of diversion is a sump at the proposed point of diversion is a sump at the proundwater will be diverted around the pit. Transmissivity calculated from a bedrock aquite equested is based on the estimated dewatering allohalhydrologic@sbcglobal.net  E-mail Address	The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The vog requirements.  Mark D. Stock  Mark D. Stock  Mark D. Stock	based on		<u>ial</u>
roundwater will be diverted around the pit. Transmissivity calculated from a bedrock aquifuequested is based on the estimated dewatering globalhydrologic@sbcglobal.net  E-mail Address  775) 787-1300	The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The vog requirements.  Mark D. Stock	based on		<u>ial</u>
The proposed point of diversion is a sump at the proposed point of diversion is a sump at the province of the proposed point of diversion is a sump at the province of the proposed point of the propo	The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The vog requirements.  Mark D. Stock  Mark D. Stock  Signature, applicant or agent	based on		<u></u>
The proposed point of diversion is a sump at the proposed point of diversion is a sump at the province of the proposed point of diversion is a sump at the province of the proposed point of the propo	The estimate of groundwater moving to the sump is fer test near the proposed point of diversion. The vog requirements.  Mark D. Stock  Signature, applicant or agent Global Hydrologic Services Inc.	based on		<u></u>

City, State, ZIP Code

#### Attachment A

## Line 6 (Proposed Place of Use) of Application 84747 for 601 Sump

As shown on the map accompanying this application. Specifically, as described below:

T.42N., R.53E. Sec. 1: Lots: 1, 2, 3, 4, S½NW¼, SW¼; Sec. 2 All; Sec. 11: All, except that portion of the SW¼ SW¼ that is in Basin 036; Sec. 12: W½, W½E½, T.43N., R.53 E.: Sec. 35: S½SE¼, Sec. 36: SE¼NE¼, SE¼, E½SW¼, SE¼, SW¼SW¼, T.42N., R.54E.: Sec. 3: that portion of E½SW¼ and S½SE¼ limited to the County Highway right-of-way in hydrographic basin 044; See.: 4: that portion of Lots 1, 2, 3, 4, 7, and SE¼ NE¼ limited to the County Highway right-of-way in hydrographic basin 044; Sec. 10: that portion of N½NE¼ and the SE¼NE¼ limited to the County Highway right-of-way in hydrographic basin 044; Sec. 11: that portion of S½NW¼, NE¼SW¼, and the SE¼ limited to the County Highway right-of-way in hydrographic basin 044; Sec. 12: that portion of S½SW¼, S½ SE¼ limited to the County Highway right-of-way in hydrographic basin 044;

T.43N., R.54E.: Sec. 31: S½N½, S½; Sec. 32: S½NW¼, S½; Sec. 33: that portion of S½S½ limited to the County Highway right-of-way in hydrographic basin 044;

T.42N.,R.55E. Sec. 7: that portion of SW1/4SW1/4 limited to the County Highway right-of-way in hydrographic basin 044.

#### Attachment B

### Line 12 (Project Description) of Application 84747 for 601 Sump

Water is to be used to explore, open, operate, dewater, and reclaim a new mine, including, but not limited to, exploration drilling, dust control, reclamation, and revegetation. The application is for enough water to dewater a proposed open pit and adjacent underground workings. There is expected to be full consumptive use for all of the dewatering water, so there will be no discharge.

The project consists of mining and transport activities principally within the "Project Area" as shown on the attached Figure and Plate. The Project includes the following activities and facilities:

- 000000000 One open pit (601 Pit);
- 200000000 Underground mine beneath the 601 and existing 701 Pits, and associated infrastructure.
- 2000022000 Mine access by declines from the 601 Pit and 701 Pit;
- •====== WRDA within the existing North and Thumb pits;
- 200000000 Run-of-mine (ROM) ore stockpile facility;
- LILLEGE Trucking of ROM ore off site for processing in existing third-party facility at Jerritt Canyon;
- ======= Mine operations office and truck shop facilities;
- •anacana Access and haul roads:
- 300000000 Water pipelines and associated infrastructure; and
- and a water/sediment control structures.

Once fully permitted, under current plans the project is expected to be active for two years. Maximum water usage is expected to be 1.0 cubic foot per second, but not to exceed 350 acrefeet per year.

Water will be used for dust suppression on:

- noncome Project area access roads;
- 200000000 Open pit and underground work areas;
- •nnnnnn Ore and waste haul roads:
- noncome Waste rock disposal area during construction and reclamation;
- account Facilities, shop and office areas;
- nonner Temporary ore and moraine stockpile areas:
- DECOCCION 8.5 miles of county access road from the Project Area to the Mountain City Highway.



